products meeting
sustainability requirements
are unable to sufficiently clean
the area or the area cannot be
replaced and represents a
hazard to human health. (List
of toxic substances managed
under Canadian
Environmental Protection Act)

The primary responsible party for these guidelines is Facilities Management. They are responsible that these guidelines are implemented and that any contracted cleaning vendors informed of and adhere to the procedures outlined in these guidelines.

:

Ensure tracking systems are in place to track progress towards targets out guidelines;

Track product use and cleaning practices on an ongoing basis with sup Sustainability and Special Projects assistant who will produce quarter performance against targets and share these reports with the Camp Establish and implement processes and training required internation of these guidelines and ensure that any externation of the externation of these guidelines and ensure that any externation of the ex

If any implementation targets are not being met, investigate the second second with the individuals involved in the relevant area to achieve better progress towards targets;

- As much as possible, only sustainable cleaning products will be used. Please refer to the goals and tracking sections of this policy for additional information.
- Any cleaning that involves the use of carpet cleaners or the use of a non-sustainable cleaning product will be performed after regular business hours.
- Only hand soaps and alcohol-free hand sanitizers meeting the purchasing sustainability criteria listed below meet the requirements of this policy.
- Only disinfectants meeting the purchasing sustainability criteria listed below meet the requirements of this policy. Disinfectants will be kept locked in the janitorial closets and may only be used by cleaning staff.
- Geaning chemicals will be stored in the janitor closets to prevent access for other occupants.
- Cleaning staff will re

Regular inspection	ons will be conduct	ed to evaluate d	eanliness. As a pa	rt of the insp
cleaning staff wil	II be interviewed to	ensure that the	cleaning and hard	d floor and ca

capturing fine particulates and must operate with a maximum sound level of 70 dBA, in accordance with ISO11201.

Automated scrubbing machines must be equipped with variable-speed feed pumps and either (1) on-board chemical metering to optimize the use of cleaning fluids or (2) dilution control systems for chemical refilling. Alternatively, scrubbing machines may use tap water only, with no added cleaning products.

The responsible party will evaluate the Cleaning Guideline on